

Bayer Environmental Science
Safety Data Sheet
Maxforce® Fusion Cockroach Gel



Version 1 / AUS
102000024668

Revision Date: 11.11.2014
Print Date: 11.11.2014

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product name	Maxforce® Fusion Cockroach Gel
Other names	none
Product code (UVP)	79987390
Recommended use	Insecticide
Chemical Formulation	Bait (ready for use) (RB)
Company	Bayer CropScience Pty Ltd. –ABN 87 000 226 022 391-393 Tooronga Road, East Hawthorn Victoria 3123, Australia
Telephone	(03) 9248 6888
Technical Information Service	1800 804 479
Facsimile	(03) 9248 6800
Website	www.environmentalscience.bayer.com.au
Emergency telephone no.	1800 033 111 Orica SH&E Shared Services

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

NON-HAZARDOUS SUBSTANCE

DANGEROUS GOODS

Hazardous classification	Non-Hazardous (National Occupational Health and Safety Commission - NOHSC)
R-phrases(s)	None allocated.
S-phrases(s)	See sections 4, 5, 6, 7, 8, 10, 12, 13.
ADG Classification	"Dangerous goods" for transport by road or rail according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. - See Section 14.
SUSMP classification (Poison Schedule)	Exempt (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature
Imidacloprid 2,15 %

Chemical Name	CAS-No.	Concentration [%]
Imidacloprid	138261-41-3	2.15
Glycerine	56-81-5	> 1.00
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.



General advice

The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Skin contact

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

Notes to physician

Symptoms

No symptoms known or expected.

Treatment

Treat symptomatically.
Monitor: respiratory and cardiac functions.
In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.
There is no specific antidote.

SECTION 5. FIRE FIGHTING MEASURES

Suitable extinguishing media

Water spray
Carbon dioxide (CO₂)
Foam
Sand

Hazards from combustion products

Dangerous gases are evolved in the event of a fire.

Precautions for fire-fighting

In the event of fire and/or explosion do not breathe fumes.
In the event of fire, wear self-contained breathing apparatus.
Contain the spread of the fire-fighting media.
Do not allow run-off from fire fighting to enter drains or water courses.

Hazchem Code 2Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid contact with spilled product or contaminated surfaces.
Use personal protective equipment.

Environmental precautions

Do not allow to get into surface water, drains and ground water.

Methods for cleaning up

The nature of this product, when contained in commercial packs, makes spillage unlikely.



However, if significant amounts are spilled nevertheless, the following advice is applicable.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Clean contaminated floors and objects thoroughly, observing environmental regulations.

Keep in suitable, closed containers for disposal.

Reference to other sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

Handling

Hygiene measures

Avoid contact with skin, eyes and clothing.

Keep working clothes separately.

Wash hands before breaks and immediately after handling the product.

Remove soiled clothing immediately and clean thoroughly before using again.

Garments that cannot be cleaned must be destroyed (burnt).

Storage

Requirements for storage areas and containers

Store in original container.

Keep containers tightly closed in a dry, cool and well-ventilated place.

Store in a place accessible by authorized persons only.

Keep away from direct sunlight.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m ³ (TWA)		OES BCS
Glycerine (Inspirable dust.)	56-81-5	10 mg/m ³ (TWA)	08 2005	AU OEL

For further details on the Occupational Exposure Standards, see Section 16.

Personal protective equipment - End user

General advice No special protective equipment required.

Engineering Controls

Advice on safe handling

No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance



Form	gel
Colour	white to beige
Odour	weak, characteristic
Safety data	
pH	4.4 - 5.0 at 1 % (23 °C)
Flash point	Not relevant
Flammability (solid, gas)	The product is not highly flammable.
Ignition temperature	no data available
Autoignition temperature	> 381 °C
Upper explosion limit	no data available
Lower explosion limit	no data available
Vapour pressure	no data available
Relative vapour density	no data available
Density	ca. 1.21 g/cm ³ at 20 °C
Water solubility	miscible
Partition coefficient: n-octanol/water	no data available
Impact Sensitivity	Not impact sensitive.
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Other information	Further safety related physical-chemical data are not known.

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	Extremes of temperature and direct sunlight.
Materials to avoid	Store only in the original container.
Hazardous Decomposition Products	No decomposition products expected under normal conditions of use.
Thermal decomposition	Stable under normal conditions.
Hazardous reactions	No dangerous reaction known under conditions of normal use.

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects	
Inhalation	Inhalation not likely.



Skin	May cause irritation.
Eye	Causes eye irritation.
Acute oral toxicity	LD50 (rat) > 5,000 mg/kg
Acute inhalation toxicity	During intended and foreseen applications, no respirable aerosol is formed.
Acute dermal toxicity	LD50 (rat) > 5,000 mg/kg
Skin irritation	No skin irritation (rabbit)
Eye irritation	No eye irritation (rabbit)
Sensitisation	Non-sensitizing. (guinea pig) OECD Test Guideline 406, Buehler test
Sensitisation	Non-sensitizing. (guinea pig) OECD Test Guideline 406, Magnusson & Kligman test
Chronic toxicity	Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient imidacloprid.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 85 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient imidacloprid.



Toxicity to aquatic invertebrates	EC10 (Chironomus riparius (non-biting midge)) 2,09 µg/l Exposure time: 28 d The value mentioned relates to the active ingredient imidacloprid.
Toxicity to aquatic plants	EC50 (Desmodesmus subspicatus) > 10 mg/l Growth rate Exposure time: 72 h The value mentioned relates to the active ingredient imidacloprid.
Toxicity to other organisms	LD50 (Coturnix japonica (Japanese quail)) 31 mg/kg
Toxicity to other organisms	LD50 (Colinus virginianus (Bobwhite quail)) 152 mg/kg
Additional ecological information	No other effects to be mentioned.
Biodegradability	Not applicable for this mixture.
Stability in soil	Not applicable for this mixture.
Bioaccumulation	Not applicable for this mixture.

SECTION 13. DISPOSAL CONSIDERATIONS

Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage. DO NOT burn empty containers or product.

SECTION 14. TRANSPORT INFORMATION

ADG

UN number	3077
Class	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)
Hazchem Code	2Z

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

IMDG

UN number	3077
Class	9
Subsidiary Risk	None
Packaging group	III
EmS	F-A , S-F
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)



IATA

UN number	3077
Class	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 69488
See also Section 2.

SECTION 16. OTHER INFORMATION

Trademark information Maxforce® is a registered trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Further details on the Occupational Exposure Standards mentioned in Section 8:

CEILING: Ceiling Limit Value

OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.

STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.

SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.

TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.

SK-SEN: Skin sensitiser



Further details on the Occupational Exposure Standards mentioned in Section 8:

CEILING: Ceiling Limit Value

OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.

STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.

SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.

TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.

SK-SEN: Skin sensitiser

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS